


## 2.02.1: Waldfläche [ha] nach Baumartengruppe und Baumaltersklasse


für 2002 / Sachsen / Eigentumsart: alle Eigentumsarten

nur begehbarer Wald / bestockter Holzboden / ohne Lücken im Hauptbestand bzw. Plenterwald / Flächenbezug: Reell(226/E637)

	1-20 J.	21-40 J.	41 -60 J.	61-80 J.	81-100 J.	101-120 J.	121-140 J.	141-160 J.	>160 J.	alle AKL	%	±
Eiche	3.864	2.576	9.765	4.348	4.410	4.461	3.355	2.157	630	<b>35.567</b>	7,5%	7,9%
Buche	784	1.297	2.066	3.464	1.135	1.790	1.167	2.798	1.729	<b>16.230</b>	3,4%	11,7%
andere Lb hoher Lebensdauer	1.724	1.882	4.583	2.679	1.951	578	403	557	97	<b>14.455</b>	3,1%	12,0%
andere Lb niedriger Lebensdauer	25.697	18.531	22.486	7.819	2.651	217				<b>77.401</b>	16,4%	5,5%
<b>alle Laubbäume</b>	<b>32.070</b>	<b>24.287</b>	<b>38.901</b>	<b>18.309</b>	<b>10.146</b>	<b>7.047</b>	<b>4.925</b>	<b>5.512</b>	<b>2.456</b>	<b>143.654</b>	<b>30,5%</b>	<b>4,5%</b>
Fichte	21.593	27.053	34.224	28.645	32.390	19.211	3.117	186	25	<b>166.444</b>	35,3%	5,2%
Tanne	117									<b>117</b>	0,0%	79,4%
Douglasie	244	326	156	30						<b>756</b>	0,2%	41,0%
Kiefer	15.442	26.214	32.663	22.190	21.869	18.182	6.623	991		<b>144.174</b>	30,6%	5,8%
Lärche	2.738	3.755	3.952	4.312	1.124	87	83	53	41	<b>16.145</b>	3,4%	10,1%
<b>alle Nadelbäume</b>	<b>40.135</b>	<b>57.348</b>	<b>70.994</b>	<b>55.177</b>	<b>55.384</b>	<b>37.479</b>	<b>9.823</b>	<b>1.231</b>	<b>66</b>	<b>327.636</b>	<b>69,5%</b>	<b>3,7%</b>
<b>alle Baumarten</b>	<b>72.204</b>	<b>81.635</b>	<b>109.896</b>	<b>73.487</b>	<b>65.530</b>	<b>44.526</b>	<b>14.748</b>	<b>6.743</b>	<b>2.521</b>	<b>471.290</b>	100,0%	<b>3,1%</b>
Anteil der Altersklasse	15,3%	17,3%	23,3%	15,6%	13,9%	9,4%	3,1%	1,4%	0,5%	100,0%		
± = Stichprobenfehler	6,4%	5,9%	5,4%	6,3%	6,8%	8,2%	13,3%	23,0%	26,8%	3,1%		

### Waldfläche BWI<sup>2</sup> nach Baumartengruppe und Altersklassen Sachsen / alle Eigentumsarten







## 2.02.1: Waldfläche [ha] nach Baumartengruppe und Baumaltersklasse

für 2002 / Sachsen / Eigentumsart: Staatswald (Bund)

nur begehbarer Wald / bestockter Holzboden / ohne Lücken im Hauptbestand bzw. Plenterwald / Flächenbezug: Reell(226/E637)

	1-20 J.	21-40 J.	41 -60 J.	61-80 J.	81-100 J.	101-120 J.	121-140 J.	141-160 J.	>160 J.	alle AKL	%	±
Eiche	45		140		161	101				<b>447</b>	1,6%	48,0%
Buche			29	199		199	74	199		<b>702</b>	2,6%	52,8%
andere Lb hoher Lebensdauer			232		145					<b>377</b>	1,4%	91,8%
andere Lb niedriger Lebensdauer	2.281	1.409	172	136						<b>3.998</b>	14,6%	31,7%
<b>alle Laubbäume</b>	<b>2.326</b>	<b>1.409</b>	<b>573</b>	<b>335</b>	<b>306</b>	<b>301</b>	<b>74</b>	<b>199</b>		<b>5.523</b>	<b>20,2%</b>	<b>25,6%</b>
Fichte	339	659	997	308			199			<b>2.502</b>	9,2%	44,3%
Tanne												
Douglasie												
Kiefer	2.792	2.303	4.703	2.347	3.120	1.795	1.354	399		<b>18.813</b>	68,9%	18,4%
Lärche	160		325							<b>486</b>	1,8%	72,3%
<b>alle Nadelbäume</b>	<b>3.291</b>	<b>2.961</b>	<b>6.026</b>	<b>2.655</b>	<b>3.120</b>	<b>1.795</b>	<b>1.554</b>	<b>399</b>		<b>21.801</b>	<b>79,8%</b>	<b>17,1%</b>
<b>alle Baumarten</b>	<b>5.617</b>	<b>4.371</b>	<b>6.599</b>	<b>2.990</b>	<b>3.426</b>	<b>2.096</b>	<b>1.628</b>	<b>598</b>		<b>27.324</b>	100,0%	<b>15,8%</b>
Anteil der Altersklasse	20,6%	16,0%	24,1%	10,9%	12,5%	7,7%	6,0%	2,2%		100,0%		
± = Stichprobenfehler	26,6%	27,8%	25,0%	35,9%	35,5%	38,3%	39,7%	74,5%		15,8%		






## 2.02.1: Waldfläche [ha] nach Baumartengruppe und Baumaltersklasse


für 2002 / Sachsen / Eigentumsart: Staatswald (Land)

nur begehbarer Wald / bestockter Holzboden / ohne Lücken im Hauptbestand bzw. Plenterwald / Flächenbezug: Reell(226/E637)

	1-20 J.	21-40 J.	41 -60 J.	61-80 J.	81-100 J.	101-120 J.	121-140 J.	141-160 J.	>160 J.	alle AKL	%	±
Eiche	1.201	1.140	3.922	606	96	780	512	634	223	<b>9.114</b>	5,0%	17,3%
Buche	510	834	1.228	1.709	368	759	918	1.946	1.352	<b>9.624</b>	5,3%	16,6%
andere Lb hoher Lebensdauer	553	910	847	285	134	44		401		<b>3.174</b>	1,8%	27,2%
andere Lb niedriger Lebensdauer	7.835	4.528	6.915	1.981	1.181					<b>22.441</b>	12,4%	10,6%
<b>alle Laubbäume</b>	<b>10.099</b>	<b>7.412</b>	<b>12.912</b>	<b>4.581</b>	<b>1.780</b>	<b>1.583</b>	<b>1.430</b>	<b>2.982</b>	<b>1.574</b>	<b>44.353</b>	<b>24,5%</b>	<b>9,0%</b>
Fichte	11.618	13.618	22.161	12.818	21.270	12.315	1.559	186	12	<b>95.558</b>	52,7%	7,4%
Tanne	106									<b>106</b>	0,1%	87,2%
Douglasie		60	156	30						<b>246</b>	0,1%	58,4%
Kiefer	2.441	5.992	10.658	4.068	4.865	3.773	516	77		<b>32.389</b>	17,9%	11,6%
Lärche	1.038	1.955	2.511	2.308	754	20	16		41	<b>8.644</b>	4,8%	13,5%
<b>alle Nadelbäume</b>	<b>15.204</b>	<b>21.624</b>	<b>35.486</b>	<b>19.224</b>	<b>26.890</b>	<b>16.108</b>	<b>2.091</b>	<b>263</b>	<b>53</b>	<b>136.943</b>	<b>75,5%</b>	<b>6,3%</b>
<b>alle Baumarten</b>	<b>25.303</b>	<b>29.036</b>	<b>48.398</b>	<b>23.805</b>	<b>28.670</b>	<b>17.691</b>	<b>3.521</b>	<b>3.245</b>	<b>1.628</b>	<b>181.296</b>	100,0%	<b>5,8%</b>
Anteil der Altersklasse	14,0%	16,0%	26,7%	13,1%	15,8%	9,8%	1,9%	1,8%	0,9%	100,0%		
± = Stichprobenfehler	11,4%	10,0%	8,8%	11,5%	10,8%	13,6%	26,2%	37,4%	36,3%			









## 2.02.1: Waldfläche [ha] nach Baumartengruppe und Baumaltersklasse

für 2002 / Sachsen / Eigentumsart: Körperschaftswald

nur begehbarer Wald / bestockter Holzboden / ohne Lücken im Hauptbestand bzw. Plenterwald / Flächenbezug: Reell(226/E637)

	1-20 J.	21-40 J.	41 -60 J.	61-80 J.	81-100 J.	101-120 J.	121-140 J.	141-160 J.	>160 J.	alle AKL	%	±
Eiche	909	18	1.024	523	417	119	155	226	195	<b>3.586</b>	7,7%	20,9%
Buche		264	312	449	193	389		250	72	<b>1.929</b>	4,1%	26,3%
andere Lb hoher Lebensdauer	777	140	889	735	220	94		66	74	<b>2.996</b>	6,4%	30,8%
andere Lb niedriger Lebensdauer	1.974	1.488	1.906	915	135					<b>6.417</b>	13,7%	15,5%
<b>alle Laubbäume</b>	<b>3.660</b>	<b>1.909</b>	<b>4.131</b>	<b>2.621</b>	<b>965</b>	<b>602</b>	<b>155</b>	<b>543</b>	<b>341</b>	<b>14.928</b>	<b>31,8%</b>	<b>14,4%</b>
Fichte	2.990	1.726	3.629	5.033	3.936	1.886	771			<b>19.972</b>	42,6%	15,3%
Tanne												
Douglasie	62									<b>62</b>	0,1%	100,0%
Kiefer	529	2.168	1.959	1.443	1.540	1.413	92	366		<b>9.510</b>	20,3%	20,5%
Lärche	329	256	600	921	239			53		<b>2.398</b>	5,1%	24,1%
<b>alle Nadelbäume</b>	<b>3.910</b>	<b>4.150</b>	<b>6.189</b>	<b>7.397</b>	<b>5.716</b>	<b>3.300</b>	<b>862</b>	<b>418</b>		<b>31.942</b>	<b>68,2%</b>	<b>12,7%</b>
<b>alle Baumarten</b>	<b>7.570</b>	<b>6.060</b>	<b>10.320</b>	<b>10.019</b>	<b>6.680</b>	<b>3.901</b>	<b>1.017</b>	<b>961</b>	<b>341</b>	<b>46.870</b>	100,0%	<b>10,8%</b>
Anteil der Altersklasse	16,2%	12,9%	22,0%	21,4%	14,3%	8,3%	2,2%	2,1%	0,7%	100,0%		
± = Stichprobenfehler	18,8%	21,4%	16,6%	19,0%	22,5%	26,3%	42,0%	61,7%	61,7%	<b>10,8%</b>		







## 2.02.1: Waldfläche [ha] nach Baumartengruppe und Baumaltersklasse

für 2002 / Sachsen / Eigentumsart: Privatwald

nur begehbarer Wald / bestockter Holzboden / ohne Lücken im Hauptbestand bzw. Plenterwald / Flächenbezug: Reell(226/E637)

	1-20 J.	21-40 J.	41 -60 J.	61-80 J.	81-100 J.	101-120 J.	121-140 J.	141-160 J.	>160 J.	alle AKL	%	±
Eiche	1.230	1.076	2.695	2.624	3.271	2.641	1.599	913	79	<b>16.127</b>	10,0%	11,2%
Buche	274		421	521	531	364	93	202	199	<b>2.606</b>	1,6%	23,4%
andere Lb hoher Lebensdauer	220	292	1.941	1.392	1.179	232	23	90	23	<b>5.392</b>	3,4%	16,5%
andere Lb niedriger Lebensdauer	10.163	7.803	9.170	4.103	800	62				<b>32.102</b>	20,0%	8,4%
<b>alle Laubbäume</b>	<b>11.887</b>	<b>9.171</b>	<b>14.227</b>	<b>8.640</b>	<b>5.781</b>	<b>3.300</b>	<b>1.715</b>	<b>1.204</b>	<b>301</b>	<b>56.227</b>	<b>35,0%</b>	<b>6,8%</b>
Fichte	5.504	9.514	5.123	8.626	5.581	4.245	588		12	<b>39.193</b>	24,4%	9,7%
Tanne	11									<b>11</b>	0,0%	100,0%
Douglasie	182	266								<b>448</b>	0,3%	59,9%
Kiefer	7.176	11.440	10.172	10.202	9.444	9.803	3.009			<b>61.244</b>	38,1%	8,7%
Lärche	1.210	1.428	153	416	107	49	67			<b>3.430</b>	2,1%	25,4%
<b>alle Nadelbäume</b>	<b>14.083</b>	<b>22.647</b>	<b>15.448</b>	<b>19.243</b>	<b>15.131</b>	<b>14.097</b>	<b>3.664</b>		<b>12</b>	<b>104.327</b>	<b>65,0%</b>	<b>6,6%</b>
<b>alle Baumarten</b>	<b>25.971</b>	<b>31.818</b>	<b>29.675</b>	<b>27.883</b>	<b>20.912</b>	<b>17.397</b>	<b>5.379</b>	<b>1.204</b>	<b>314</b>	<b>160.554</b>	100,0%	<b>5,3%</b>
Anteil der Altersklasse	16,2%	19,8%	18,5%	17,4%	13,0%	10,8%	3,4%	0,8%	0,2%	100,0%		
± = Stichprobenfehler	10,6%	9,6%	9,2%	9,8%	11,2%	12,8%	21,6%	44,9%	65,8%	5,3%		





## 2.02.1: Waldfläche [ha] nach Baumartengruppe und Baumaltersklasse

für 2002 / Sachsen / Eigentumsart: Treuhandwald


nur begehbarer Wald / bestockter Holzboden / ohne Lücken im Hauptbestand bzw. Plenterwald / Flächenbezug: Reell(226/E637)

	1-20 J.	21-40 J.	41 -60 J.	61-80 J.	81-100 J.	101-120 J.	121-140 J.	141-160 J.	>160 J.	alle AKL	%	±
Eiche	478	343	1.984	595	465	821	1.089	385	133	<b>6.293</b>	11,4%	19,5%
Buche		199	75	585	43	79	82	199	105	<b>1.369</b>	2,5%	34,3%
andere Lb hoher Lebensdauer	174	540	675	267	273	207	381			<b>2.517</b>	4,6%	25,4%
andere Lb niedriger Lebensdauer	3.444	3.303	4.323	684	534	155				<b>12.443</b>	22,5%	14,6%
<b>alle Laubbäume</b>	<b>4.096</b>	<b>4.385</b>	<b>7.058</b>	<b>2.132</b>	<b>1.315</b>	<b>1.262</b>	<b>1.552</b>	<b>584</b>	<b>239</b>	<b>22.623</b>	<b>40,9%</b>	<b>12,0%</b>
Fichte	1.141	1.537	2.313	1.861	1.603	765				<b>9.220</b>	16,7%	17,6%
Tanne											0,0%	
Douglasie											0,0%	
Kiefer	2.506	4.311	5.170	4.130	2.900	1.398	1.652	151		<b>22.217</b>	40,2%	14,6%
Lärche		117	363	667	24	17				<b>1.187</b>	2,1%	31,9%
<b>alle Nadelbäume</b>	<b>3.647</b>	<b>5.965</b>	<b>7.846</b>	<b>6.657</b>	<b>4.527</b>	<b>2.179</b>	<b>1.652</b>	<b>151</b>		<b>32.624</b>	<b>59,1%</b>	<b>11,6%</b>
<b>alle Baumarten</b>	<b>7.743</b>	<b>10.350</b>	<b>14.904</b>	<b>8.789</b>	<b>5.842</b>	<b>3.441</b>	<b>3.203</b>	<b>735</b>	<b>239</b>	<b>55.246</b>	100,0%	<b>9,4%</b>
Anteil der Altersklasse	14,0%	18,7%	27,0%	15,9%	10,6%	6,2%	5,8%	1,3%	0,4%	100,0%		
± = Stichprobenfehler	17,0%	16,6%	14,8%	18,7%	22,3%	25,4%	31,3%	45,8%	60,8%		9,4%	



### Waldfläche BWI<sup>2</sup> nach Baumartengruppe und Altersklassen

Sachsen / Treuhandwald



**Anteile an der Waldfläche [%] nach Baumartengruppe und Altersklassen**  
Sachsen / Treuhandwald

